



## Accessories for KYN28 Medium Cabinet (2nd Generation)



**XING JI ELECTRICAL GROUP CO.,LTD.**

address: NO.58, JI XIAN ROAD, LOU QIAO INDUSTRIAL AREA,OU HAI, WEN ZHOU

phone: + 086 0577-88635708

mobile phone: + 0861 8892628482








zip code: 325027

mail: wxjxs@china-xj.com










2021.04

## Accessories for KYN28 Medium Cabinet (2nd Generation)

No	Product Name/Model	Product Drawing	Product 3D
1	KYN.5XJ.363.010.6X2 Flat steel earthing interlock (net cabinet depth 1450)		
2	KYN.5XJ.239.012 Front lower door interlock		
3	Electrical earthing interlock and electrical parts (Please contact technician for different earthing interlock)		
4	Left and right aluminum rails KYN.5XJ.260.132/HT Left aluminum rails KYN.5XJ.260.133/HT LRight aluminum rails Aluminum rails (left and right) (meets IP2X design)		
5	Guide rail interlock KYN.5XJ.363.031(VS1) KYN.5XJ.363.031.1(VD4)		

## Accessories for KYN28 Medium Cabinet (2nd Generation)

No	Product Name/Model	Product Drawing	Product 3D
6	Flap mechanism (low current) 5XS.320.010/WK (VS1)or(VD4) Flap plate plastic spraying RAL7035 / without imprint		
7	Flap mechanism (high current) 5XS.320.011/WK Insulated flap plate without imprint		
8	Flap self-locking mechanism (Mounting holes include 2 and 3 hole requirements)		
9	Secondary socket interlocking mechanism 5XS.573.010 (height to be confirmed)		
10	KYN.5XJ.259.004.245 (length) (Emergency release device)		

## Accessories for KYN28 Medium Cabinet (2nd Generation)

No	Product Name/Model	Product Drawing	Product 3D
11	Quick release door lock assembly		<ul style="list-style-type: none"> <li>■ 8K8.156.030 PT front lowerdoor latch kit</li> </ul>
			<ul style="list-style-type: none"> <li>■ 8KD.156.001 Dash door latch kit</li> </ul>
			<ul style="list-style-type: none"> <li>■ 8KD.156.002 Low current center door latch kit</li> </ul>
			<ul style="list-style-type: none"> <li>■ 8KD.156.003 Low current front lower door latch kit</li> </ul>
			<ul style="list-style-type: none"> <li>■ 8KD.156.004 High current center door latch kit</li> </ul>
			<ul style="list-style-type: none"> <li>■ 8KD.156.005 High current front lower door latch kit</li> </ul>

## Accessories for KYN28 Medium Cabinet (2nd Generation)

No	Product Name/Model	Product Drawing	Product 3D																																																																		
12	Hinge		<ul style="list-style-type: none"> <li>■ matte black</li> </ul>																																																																		
			<ul style="list-style-type: none"> <li>■ matte black</li> </ul>																																																																		
		<p>GMS</p> <p>Door hinge code design number High voltage cabinet door hinge code</p>	<ul style="list-style-type: none"> <li>■ matte black</li> </ul>																																																																		
		<p>Addition of holes for metering cabinets</p> <p>D1, D2, d, L1, L2</p>	<table border="1"> <thead> <tr> <th>Model type</th> <th>D1</th> <th>D2</th> <th>d</th> <th>L1</th> <th>L2</th> </tr> </thead> <tbody> <tr><td>GMS1-1</td><td>24</td><td>Ø20</td><td>M8</td><td>31</td><td>22.5</td></tr> <tr><td>GMS1-2</td><td>30</td><td>Ø20</td><td>M10</td><td>35</td><td>20.5</td></tr> <tr><td>GMS1-3</td><td>24</td><td>Ø20</td><td>M8</td><td>31</td><td>34.5</td></tr> <tr><td>GMS1-4</td><td>30</td><td>Ø20</td><td>M8</td><td>35</td><td>20.5</td></tr> <tr><td>GMS1-5</td><td>30</td><td>Ø20</td><td>M10</td><td>35</td><td>29</td></tr> <tr><td>GMS1-6</td><td>30</td><td>Ø20</td><td>M10</td><td>40</td><td>20.5</td></tr> <tr><td>GMS1-7</td><td>30</td><td>Ø20</td><td>M8</td><td>27</td><td>23</td></tr> <tr><td>GMS1-8</td><td>30</td><td>Ø20</td><td>M10</td><td>45</td><td>20.5</td></tr> <tr><td>GMS1-9</td><td>30</td><td>Ø20</td><td>M8</td><td>35</td><td>25</td></tr> <tr><td>GMS1-10</td><td>30</td><td>Ø20</td><td>M10</td><td>31</td><td>24.5</td></tr> </tbody> </table>	Model type	D1	D2	d	L1	L2	GMS1-1	24	Ø20	M8	31	22.5	GMS1-2	30	Ø20	M10	35	20.5	GMS1-3	24	Ø20	M8	31	34.5	GMS1-4	30	Ø20	M8	35	20.5	GMS1-5	30	Ø20	M10	35	29	GMS1-6	30	Ø20	M10	40	20.5	GMS1-7	30	Ø20	M8	27	23	GMS1-8	30	Ø20	M10	45	20.5	GMS1-9	30	Ø20	M8	35	25	GMS1-10	30	Ø20	M10	31	24.5
		Model type	D1	D2	d	L1	L2																																																														
		GMS1-1	24	Ø20	M8	31	22.5																																																														
GMS1-2	30	Ø20	M10	35	20.5																																																																
GMS1-3	24	Ø20	M8	31	34.5																																																																
GMS1-4	30	Ø20	M8	35	20.5																																																																
GMS1-5	30	Ø20	M10	35	29																																																																
GMS1-6	30	Ø20	M10	40	20.5																																																																
GMS1-7	30	Ø20	M8	27	23																																																																
GMS1-8	30	Ø20	M10	45	20.5																																																																
GMS1-9	30	Ø20	M8	35	25																																																																
GMS1-10	30	Ø20	M10	31	24.5																																																																
	<ul style="list-style-type: none"> <li>■ matte black</li> </ul>																																																																				
	<ul style="list-style-type: none"> <li>■ matte black</li> </ul>																																																																				

## Accessories for KYN28 Medium Cabinet (2nd Generation)

No	Product Name/Model	Product Drawing	Product 3D
13	Earthing padlocks KYN.5XJ.161.030.2 Earthing switch padlock (universal solution)	 KYN.5XJ.161.030.1 接地开关挂锁(带联锁功能) 标准高压手柄即可 台套侧板开孔	
14	Earthing padlocks KYN.5XJ.161.030.1 Earthing switch padlock (universal solution)	 KYN.5XJ.161.030 接地开关挂锁(高压手柄时具备闭锁功能) 对应高压手柄型号: KYN.5XJ.253.011.33 台套侧板开孔	
15	High voltage handle Fit with earthing padlock KYN.5XJ.161.030.1 KYN.5XJ.253.011.33 Earthing switch padlock (Unplugged in place)	 500 207 20 13 30 15 12 60 17.10 Ø30 Ø32 Ø30 Ø30	
16	Center door padlock KYN.5XJ.161.022	 3-Ø4.2 Ø50 Ø3.7 Ø8.2 Ø38	
17	Quick release door lock GMS4-1P	 19.5 2-Ø5.5 8 220 32 182.5 70 Ø8 2-Ø5.5 46 ■ 开孔图	 ■ matte black ■ matte black ■ MS9 key (optional)

## Accessories for KYN28 Medium Cabinet (2nd Generation)

No	Product Name/Model	Product Drawing	Product 3D
18	Center door padlock KYN.5XJ.161.022.14	 Option 1	
	Center door padlock KYN.5XJ.161.024	 Option 2	
19	Upper door limit device KYN.5XJ.363.036	 KYN.5XJ.224.011 滚轮装配 KYN.5XJ.585.026 连接板焊接 KYN.5XJ.585.026 提示 先向上轻抬连板,才能关合此门	
20	Chassis lower truck universal handle GTJ.5XJ.253.006.1	 874 201.0	
21	Double tempered laminated glass (with earthing wire) T10*320*210	 210 320	
	Glass frame 8WXJ.321.550	 275 185 110 200 255 10 16 B-7X15 B-9X17	