


RC2- □ Secondary connector




RC2(T) Secondary Plug's Outline and Mounting Dimensions



Mode	D	E
RC2(T)-4	72	90
RC2(T)-6	81	99
RC2(T)-8	90	108
RC2(T)-10	99	117
RC2(T)-12	108	126
RC2(T)-14	118	136
RC2(T)-16	126	145
RC2(T)-18	135	154
RC2(T)-20	144	163
RC2(T)-22	153	172
RC2(T)-24	162	181
RC2(T)-26	171	190
RC2(T)-28	180	199
RC2(T)-30	189	208
RC2(T)-32	198	217
RC2(T)-34	207	226

RC2(Z) Secondary Plug's Outline and Mounting Dimensions



Mode	A	B	C
RC2(Z)-4	27	55	75
RC2(Z)-6	36	64	84
RC2(Z)-8	45	73	93
RC2(Z)-10	54	82	102
RC2(Z)-12	63	91	111
RC2(Z)-14	73	100	120
RC2(Z)-16	82	109	129
RC2(Z)-18	91	118	138
RC2(Z)-20	100	127	147
RC2(Z)-22	109	136	156
RC2(Z)-24	118	145	165
RC2(Z)-26	127	154	174
RC2(Z)-28	136	163	183
RC2(Z)-30	145	172	192
RC2(Z)-32	154	181	201
RC2(Z)-34	163	190	210



Note: Other specifications are available upon request.

RC3- □ Secondary Connectors

(Panel mounting)



RC3(Z) Secondary Plug Outline and Dimensions (Panel mounting)




Modle	D	E	F	Modle	D	E	F
RC3(Z)-4	25	63	76	RC3(Z)-20	98	140	153
RC3(Z)-6	34	72	85	RC3(Z)-22	107	149	162
RC3(Z)-8	43	81	94	RC3(Z)-24	116	158	171
RC3(Z)-10	52	90	103	RC3(Z)-26	125	167	180
RC3(Z)-12	61	99	112	RC3(Z)-28	134	176	189
RC3(Z)-14	70	110	123	RC3(Z)-30	143	185	198
RC3(Z)-16	79	120	133	RC3(Z)-32	152	194	207
RC3(Z)-18	88	130	143	RC3(Z)-34	161	203	216

RC3- □ -L Secondary Connectors

(Base mounting)




RC3(Z)-L Secondary Socket Outline and Dimensions (Base mounting)



Modle	E	F
RC3-10-L	94	107
RC3-20-L	144	157

RC3(T) Secondary Plug Outline and Dimensions



Modle	D	E	F	Modle	D	E	F
RC3(T)-4	31	67	82	RC3(T)-20	110	144	159
RC3(T)-6	40	76	91	RC3(T)-22	119	153	168
RC3(T)-8	51	85	100	RC3(T)-24	128	162	177
RC3(T)-10	60	94	109	RC3(T)-26	137	171	186
RC3(T)-12	69	104	119	RC3(T)-28	147	180	195
RC3(T)-14	78	114	129	RC3(T)-30	157	189	204
RC3(T)-16	87	124	138	RC3(T)-32	167	198	213
RC3(T)-18	100	134	147	RC3(T)-34	177	207	222


Note: The panel-mounted and base-mounted plugs for the RC3 secondary connector are the same as the RC3(T) plug.








RC4- □ SECONDARY CONNECTOR

RC4 Wiring terminal



RC2(T) Secondary Plug Outline and Mounting Dimensions



Modle	D	E	F
RC4 (T) -10	60	94	109
RC4 (T) -20	110	144	159


Modle	D	E	F
RC4 (Z) -10	52	90	103
RC4 (Z) -20	98	140	153

Modle	E	F
RC4 (Z) -10-L	94	107
RC4 (Z) -20-L	144	157

RC5 Secondary Connector: The external mounting dimensions are the same as the RC3 model, with options for panel mounting and base mounting





RC5 - □ secondary connector



RC5 secondary connector's Schematic diagram

Features: Most of the copper contact blades of the RC5 plug are housed within the plastic slot, with only the head contact portion exposed, making it safer and more reliable.

RC Type Secondary Connector's Structure Diagram







RC8- □ Secondary Connector



RC8 Secondary Connector's Outline and Mounting Dimensions



Mode	C	D	E	F
RC8(T)-10	111	99	83	133
RC8(T)-14	129	119	101	151
RC8(T)-20	156	144	128	178




Mode	A	B	C	D
RC8-4	28	55	79	95
RC8-6	37	64	88	104
RC8-8	46	73	97	113
RC8-10	55	82	106	122
RC8-12	64	91	115	131
RC8-14	73	100	124	140
RC8-16	82.5	109.5	133.5	149.5
RC8-18	91.5	118.5	142.5	158.5
RC8-20	101	128	152	168
RC8-22	110	137	161	177
RC8-24	119	146	170	186
RC8-26	128	155	179	195
RC8-28	137	164	188	204
RC8-30	146	173	198	214
RC8-32	155	182	207	223
RC8-34	164	191	216	232


RC9- □ Secondary Connector



RC9 Secondary Connector's Outline and Mounting Dimensions



Mode	D	E	F
RC9(T)-10	60	94	109
RC9(T)-14	78	114	129
RC9(T)-20	110	144	159




Mode	D	E	F
RC9(Z)-10	52	90	103
RC9(Z)-14	70	110	123
RC9(Z)-20	98	140	153

Note: RC8 and RC9 secondary connectors can directly replace RC2 and RC3 respectively, with no modification to mounting holes required.

RC10 RC10D Secondary Connector's Outline and Mounting Dimensions




RC10 (T) Secondary Plug





Mode	B	A
RC10(T)10-10	83	61
RC10(T)10-16	113	91
RC10(T)10-20	133	111

RC10 (Z) Secondary socket



Mode	A	B	C
RC10(Z)10-10	79	60	70
RC10(Z)10-16	109	91	100
RC10(Z)10-20	129	111	120

RC11 Secondary Connector's Outline and Mounting Dimensions (Side outlet)



Mode	A	B	C
RC11-12	59.5	68.5	70.5
RC11-14	67.5	76.5	78.5
RC11-16	75.5	84.5	86.5
RC11-18	83.5	92.5	94.5
RC11-20	91.5	100.5	102.5
RC11-22	99.5	108.5	110.5
RC11-24	107.5	116.5	118.5
RC11-26	115.5	124.5	126.5
RC11-28	123.5	132.5	134.5
RC11-30	131.5	140.5	142.5